

**LOCATION:** Vilassar de Mar

**DATE:** 31/01/2006  
**ASSESSMENT:** T<sub>3+0</sub>  
**BBCH:** 51

PLOT	TREATAM.	VALUATION OF THE VIGOR					
		Plant 1	Plant 2	Plant 3	Plant 4	Plant 5	MEAN
1	1	3	4	5	5	5	4,4
2	2	3	6	4	5	6	4,8
3	2	5	4	5	6	6	5,2
4	1	5	3	4	5	5	4,4
5	1	4	5	4	5	5	4,6
6	2	5	6	6	6	6	5,8
7	1	5	4	4	5	4	4,4
8	2	6	6	5	6	7	6

Treat.	PRODUC	RATE
1	UTC	--
2	HAPPY PLANTS PRIMEROS AUXILIOS	5 cc/planta


KEY VALUATION OF VIGOR	
VALUE	DESCRIPTION
0	Dead plant
5	Normal plant
10	Good plant

**PLANTS VIGOR**

TREAT.	BLOCK-REPETITION				MEAN 4 BLOCKS
	I	II	III	IV	
1	4,40	4,40	4,60	4,40	4,45
2	4,80	5,20	5,80	6,00	5,45

**LOCATION:** Vilassar de Mar

**DATE:** 31/01/2006  
**ASSESSMENT:** T<sub>3</sub>+ 0  
**BBCH:** 51



**Grafico 3:** Mean vigor before T3